

Midterm 2 : Thursday, March 22, 2006.

Problem	1	2	3	4	5	6	7	8	Total
Value	10	15	10	15	20	10	10	10	100
Points									

Instructions : All work must be shown to receive full credit.
In all questions simplify your answers.

1. [10pts] Use integration by parts to evaluate the following indefinite integral:

$$\int 3x^2 \ln(x) dx$$

2. [15pts] Use partial fraction expansions to evaluate the following integral:

$$\int \frac{x^2 + x + 4}{x(x^2 + 4)} dx$$

3. [10pts] Evaluate the following definite integral. In your answer simplify any trigonometric functions evaluated at 0 and $\frac{\pi}{2}$.

$$\int_0^{\pi/2} 5 \cos^2(x) \sin^3(x) dx$$

4. [15pts] Use inverse trigonometric substitution to evaluate the following integral. Use an appropriate triangle to express your answer in terms of x .

$$\int \frac{x^2}{\sqrt{1-x^2}} dx$$

5. [20pts] (Improper Integrals) In the following problems full credit will not be given if there is an absence or misuse of limits or limit notation. For the Comparison Theorem problem, all details must be explained.

a) Determine if the following improper integral is convergent or divergent. If it is convergent, find its value.

$$I = \int_0^1 \frac{(\ln(x))^2}{x} dx$$

b) Use the Comparison Theorem to clearly explain why the following integral is convergent or divergent.

$$I = \int_1^{\infty} \frac{e^{-x}}{x^3 + 1} dx$$

6. [10pts] Find the arclength of the curve

$$y = f(x) = \frac{1}{3}(2x - 1)^{3/2}, \quad 1 < x < 4.$$

7. [10pts] Find the surface area of the surface formed by revolving the curve

$$y = f(x) = \sqrt{25 - x^2}, \quad 2 < x < 3$$

about the x -axis.

8. [10pts] Use any methods to evaluate the following integral:

$$I = \int e^x \cos(2x) dx$$

Indefinite integrals and Trigonometric Identities

Some commonly used trigonometric identities are:

$$\sin^2(x) + \cos^2(x) = 1$$

$$\tan^2(x) + 1 = \sec^2(x)$$

$$\cos^2(x) = \frac{1}{2}(1 + \cos(2x))$$

$$\sin^2(x) = \frac{1}{2}(1 - \cos(2x))$$

$$\sin(2x) = 2 \sin(x) \cos(x)$$

$$\sin(x) \cos(y) = \frac{1}{2}(\sin(x+y) + \sin(x-y))$$

$$\cos(x) \cos(y) = \frac{1}{2}(\cos(x+y) + \cos(x-y))$$

$$\sin(x) \sin(y) = \frac{1}{2}(\cos(x-y) - \cos(x+y))$$

Some commonly integrals worth noting include:

$$\int \frac{1}{u^2 + 1} du = \arctan(u) + c$$

$$\int \frac{1}{\sqrt{1-u^2}} du = \arcsin(u) + c$$

$$\int \tan(u) du = \ln|\sec(u)| + c$$

$$\int \cot(u) du = -\ln|\csc(u)| + c$$

$$\int \sec(u) du = \ln|\sec(u) + \tan(u)| + c$$

$$\int \csc(u) du = \ln|\csc(u) - \cot(u)| + c$$

$$\int \sec^3(u) du = \frac{1}{2}(\sec(x) \tan(x) + \ln(\sec(x) + \tan(x))) + c$$